

Additional publications from Sigma Cubed Microseismic team

- Dande, S., Stewart, R., and N. Dyaour (2018), The effect of fluids and their viscosity on the elastic-wave velocity and anisotropy of 3D-printed VTI rock models. SEG Technical Program Expanded Abstracts 2018.
- Waltman, C. and J. Lakings (2018), Utilizing high-frequency 4-C downhole drillbit accelerometers to obtain mechanical rock properties in a series of controlled laboratory experiments. SEG Technical Program Expanded Abstracts 2018: pp. 789-793.
- Dande, S., Stewart, R., Dyaour, N., and J. Baze-Franceschi (2017), The effect of proppant-filled fractures on the elastic properties of 3D-printed rock models. SEG Technical Program Expanded Abstracts 2017: pp. 5767-5771. <https://doi.org/10.1190/segam2017-17789169.1>
- Dande, S., Stewart, R., Dyaour, N., and J. Baze-Franceschi (2017), The effect of proppant-filled fractures on the elastic properties of 3D-printed rock models. SEG Technical Program Expanded Abstracts 2017: pp. 5767-5771. <https://doi.org/10.1190/segam2017-17789169.1>
- Tamimi, N., McGuire, J., Dande, S., and R. Van Dok (2016) Deriving anisotropic-velocity models using borehole microseismic events with unknown locations. SEG Technical Program Expanded Abstracts 2016: pp. 2503-2507. <https://doi.org/10.1190/segam2016-13821390.1>
- Le Calvez, J., J. Zhang, O. Harrasi, Y. El-Taha, M. Eltilib, M. El Gihani, and T. Al-Wadhahi (2016), Multi-well hydraulic fracture monitoring in the Sultanate of Oman using surface and downhole microseismic arrays, 6th EAGE Workshop on Passive Seismic, PSP12, Muscat, Sultanate of Oman, Jan 31 – Feb 03, 2016.
- Zhang, J., J. Le Calvez, J. Drew, and A. Sanchez (2015), Lessons learned from a reprocessing case study of a surface microseismic survey, 2015 SEG Annual Meeting, p. 2583–2587.
- Le Calvez, J., J. Zhang, O. Harrasi, Y-C. El-Taha, S. Yarubi, S. Busaidi, M. Eltilib, M. El Gihani, and T. Al-Wadhahi (2015), Combining surface and downhole microseismic monitoring: a multi-well completion in Oman, 2015 SPE ADIPEC.
- Gell, C., Dawson, M., Emslie, M., Cruickshank, B., and N. Fairnie (2015) Well Integrity Management at Premier Oil and the Benefits of Implementing a Well Integrity Data Management System; OTC-25950-MS.
- Petrochilos, N., and J. Drew (2014), Noise Reduction on Microseismic Data Acquired Using a Patch Monitoring Configuration: A Fayetteville Formation Example. Society of Exploration Geophysicists.
- Pei, D., Carmichael, J., Waltman, C., and N. Warpinski (2014), Microseismic anisotropic velocity calibration by using both direct and reflected arrivals. SEG Technical Program Expanded Abstracts 2014: pp. 2278-2282. <https://doi.org/10.1190/segam2014-0097.1>
- Drew, J., J. Zhang, and J. Le Calvez (2014), The impact of channel count on microseismic event detection for a surface array, 2014 SEG Annual Meeting, p. 2183–2187.
- Zhang, J., and P. Gerstoft (2014), Local-scale cross-correlation of seismic noise from the Calico fault experiment, *Earthquake Science*, 27(3), 311–318, doi:10.1002/jgrb.50186.
- "Drew, J., White, R., Tilmann, F., and J. Tarasewicz (2013), Coalescence microseismic mapping. *Geophysical Journal International*, Volume 195, Issue 3, 1 December 2013, Pages 1773–1785, <https://doi.org/10.1093/gji/ggt331>"
- Patent IPN: WO 2013/190513 A2. Processing Seismic Data by Nonlinear Stacking.

- Rutledge, J., Downie, R., Maxwell, S., Drew, J., and T. Fischer (2013), Extension-Shear Microseismic Mechanisms During Hydraulic Fracturing. Society of Exploration Geophysicists.
- Zhang, J., and X. Yang (2013), Extracting surface-wave attenuation from seismic noise using correlation of the coda of correlation, *J. Geophys. Res. Solid Earth*, 118, doi:10.1002/jgrb.50186.
- The Use of Shallow Subsurface Wells and Collected Multi-offset VSP for Characterizing the Black Warrior Basin, AAPG Search and Discovery Article #90163©2013AAPG 2013 Annual Convention and Exhibition, Pittsburgh, Pennsylvania, May 19-22, 2013
- Jing D, N. Warpinski, and C. Waltman (2013), Anisotropic effects on polarization from highly deviated / horizontal wells in microseismic monitoring of hydraulic fractures. SEG Technical Program Expanded Abstracts 2013: pp. 2008-2012. <https://doi.org/10.1190/segam2013-0215.1>
- Peyret, O., Drew, J., Mack, M., Brook, K., Maxwell, S. C., and C. Cipolla. (2012), Subsurface To Surface Microseismic Monitoring for Hydraulic Fracturing. Society of Petroleum Engineers. doi:10.2118/159670-MS
- Drew, J., Primiero, P., Brook, K., Raymer, D., Probert, T., Kim, A., and D. Leslie (2012), Microseismic Monitoring Field Test Using Surface, Shallow Grid, and Downhole Arrays. Society of Exploration Geophysicists.
- Reservoir Characterization Using Shallow Well Microseismic Monitoring, AAPG Search and Discovery Article #90142 © 2012 AAPG Annual Convention and Exhibition, April 22-25, 2012, Long Beach, California
- Zhang, J., P. Gerstoft, P. M. Shearer, H. Yao, J. E. Vidale, H. Houston, and A. Ghosh (2011), Cascadia tremor spectra: low corner frequencies and earthquake-like high-frequency falloff, *Geochem. Geophys. Geosyst.*, 12, Q10007, doi:10.1029/2011GC003759.
- Khadhraoui, B., Leslie, D., Drew, J., and R. Jones (2010), Real-time Detection And Localization of Microseismic Events. Society of Exploration Geophysicists.
- Drew, J. (2010). Coalescence microseismic mapping : an imaging method for the detection and location of seismic events. PhD Dissertation, University of Cambridge. Department of Earth Sciences.
- Warpinski, N., Waltman, C., and L. Weijers (2010). An Evaluation of Microseismic Monitoring of Lenticular Tight-Sandstone Stimulations. Society of Petroleum Engineers. doi:10.2118/131776-PA
- Heigl, W. and C. Waltman (2010), Improving Signal/Noise with Stacked Arrays. 2010 SEG Passive Seismic Workshop. Denver, CO.
- Zhang, J., P. Gerstoft, and S. R. Taylor (2010), Body-wave arrivals from seismic noise, *Proceedings of the 32nd Monitoring Research Review: Ground-Based Nuclear Explosion Monitoring Technologies*, p. 232–246.
- Zhang, J., P. Gerstoft, P. D. Bromirski (2010), Pelagic and coastal sources of P-wave microseisms: Generation under tropical cyclones, *Geophys. Res. Lett.*, 37, L15301, doi:10.1029/2010GL044288.
- Zhang, J., P. Gerstoft, and P. M. Shearer (2010), Resolving P-wave travel-time anomalies using seismic array observations of oceanic storms, *Earth Planet. Sci. Lett.*, 292, 419–427, doi:10.1016/j.epsl.2010.02.014.
- Gerstoft, P., J. Zhang, and S. R. Taylor (2009), Estimating body-wave arrivals and attenuation from seismic noise, *Proceedings of the 31st Monitoring Research Review: Ground-Based Nuclear Explosion Monitoring Technologies*, p. 62–72.

- Zhang, J., P. Gerstoft, and P. M. Shearer (2009), High-frequency P-wave seismic noise driven by ocean winds, *Geophys. Res. Lett.*, 36, L09302, doi:10.1029/2009GL 037761.
- Zimmer, U., Maxwell, S., Waltman, C., and N. Warpinski (2009), Microseismic Monitoring Quality-Control (QC) Reports as an Interpretative Tool for Nonspecialists. Society of Petroleum Engineers. doi:10.2118/110517-PA
- Warpinski, N., Waltman, C., Du, J., and Q. Ma (2009), Anisotropy Effects in Microseismic Monitoring. Society of Petroleum Engineers. doi:10.2118/124208-MS
- Maxwell, S., Waltman, C., Warpinski, N., Mayerhofer, M., and N. Boroumand (2009), Imaging Seismic Deformation Induced by Hydraulic Fracture Complexity. Society of Petroleum Engineers. doi:10.2118/102801-PA
- Gerstoft, P., P. M. Shearer, N. Harmon, and J. Zhang (2008), Global P, PP, and PKP wave microseisms observed from distant storms, *Geophys. Res. Lett.*, 35, L23306, doi:10.1029/2008GL036111.
- Drew, J., White, R., and J. Wolfe (2008), Microseismic Event Azimuth Estimation: Establishing a Relationship Between Hodogram Linearity And Uncertainty In Event Azimuth. Society of Exploration Geophysicists.
- Zhang, J., P. G. Richards, and D. P. Schaff (2008), Wide-scale detection of earthquake waveform doublets and further evidence for inner core super-rotation, *Geophys. J. Int.*, 174, 993–1006, doi:10.1111/j.1365-246X.2008.03856.x.
- Gerstoft, P., J. Zhang, W. A. Kuperman, N. Harmon, K. G. Sabra, M. C. Fehler, and S. R. Taylor (2008), Estimating local and near-regional velocity and attenuation structure from seismic noise, *Proceedings of the 30th Monitoring Research Review: Ground-Based Nuclear Explosion Monitoring Technologies*, p. 57–66.
- Gell, C. and L. Schilling (2008) Empowering Young Professionals To Lead After the "Big Crew Change" SPE-115341-MS.
- Drew, J., and J. Calvez (2007), Complexities In the Quick Analysis And Interpretation of Microseismic Data. Society of Exploration Geophysicists.
- Vulgamore, T. B., Clawson, T. D., Pope, C. D., Wolhart, S. L., Mayerhofer, M. J., Machovoe, S. R., and C. Waltman (2007), Applying Hydraulic Fracture Diagnostics To Optimize Stimulations in the Woodford Shale. Society of Petroleum Engineers. doi:10.2118/110029-MS
- Shemeta, J., Maxwell, S., Warpinski, N., Hinds, G., Huck, J., Kinser, J., Quimby, S., and C. Waltman (2007), Digital stacking of passive seismograms. *SEG Technical Program Expanded Abstracts 2007*: pp. 1302-1306. <https://doi.org/10.1190/1.2792741>
- Shemeta, J., Maxwell, S., Warpinski, N., Quimby, S., Phillips, Z., Riebel, T., Phillips, Z., Kinser, J., Hinds, G., Green, T., and C. Waltman (2007), Stacking Seismograms to Improve Passive Microseismic Images. Society of Petroleum Engineers. doi:10.2118/108103-MS
- The Transition from Continental Rifting to Seafloor Spreading in the Woodlark Basin, *American Geophysical Union, Fall Meeting 2006*, abstract id. T53A-1570
- Maxwell, S., Zimmer, U., Warpinski, N., and C. Waltman (2006), Quality control/assurance reporting of passive microseismic data. *SEG Technical Program Expanded Abstracts 2006*: pp. 1585-1589. <https://doi.org/10.1190/1.2369823>
- "Maxwell, S., Waltman, C., and J. Shemeta (2005), Digital array filtering to improve passive seismic signal quality. *SEG Technical Program Expanded Abstracts 2005*: pp. 1257-1260. <https://doi.org/10.1190/1.2147913> "

- Waltman, C., Warpinski, N., and J. Heinze (2005), Comparison of single and dual array microseismic mapping techniques in the Barnett Shale. SEG Technical Program Expanded Abstracts 2005: pp. 1261-1264. <https://doi.org/10.1190/1.2147914>
- Zhang, J., X. Song, Y. Li, P. G. Richards, X. Sun, and F. Waldhauser (2005), Inner core differential motion confirmed by earthquake waveform doublets, *Science*, 309, 1357–1360.
- Warpinski, N. R., Sullivan, R. B., Uhl, J., Waltman, C., and S. Machovoe (2005), Improved Microseismic Fracture Mapping Using Perforation Timing Measurements for Velocity Calibration. Society of Petroleum Engineers. doi:10.2118/84488-PA
- Wolhart, S. L., Odegard, C. E., Warpinski, N. R., Waltman, C. K., and S. Machovoe (2005), Microseismic Fracture Mapping Optimizes Development of Low-Permeability Sands of the Williams Fork Formation in the Piceance Basin. Society of Petroleum Engineers. doi:10.2118/95637-MS
- Le Calvez, J., Bennett, L., Tanner, K., Grant, W., Nutt, L., Jochen, V., Underhill, W. and J. Drew (2005), Monitoring microseismic fracture development to optimize stimulation and production in aging fields. *The Leading Edge*, 24(1), 72-75. <https://doi.org/10.1190/1.1859705>
- Drew, J., Leslie, H., Armstrong, P., and G. Michard (2005), Automated Microseismic Event Detection and Location by Continuous Spatial Mapping. Society of Petroleum Engineers. doi:10.2118/95513-MS
- Kim, W.-Y., P. G. Richards, D. P. Schaff, F. Waldhauser, and J. Zhang (2005), Evaluation of cross correlation methods on a massive scale for accurate relocation of seismic events, *Proceedings of the 27th Seismic Research Review: Ground-Based Nuclear Explosion Monitoring Technologies*, p. 362–371.
- Cao, J., Z. Ge, J. Zhang, and X. Chen (2004), A comparative study on seismic wave methods for multi-layered media with irregular interfaces: irregular topography problem, *Chinese J. Geophys.*, 47(3), 495–503.
- Kim, W.-Y., D. P. Schaff, J. Zhang, F. Waldhauser, and P. G. Richards (2004), Evaluation of cross correlation methods on a massive scale for accurate relocation of seismic events, *Proceedings of the 26th Seismic Research Review: Ground-Based Nuclear Explosion Monitoring Technologies*, p. 277–286.
- Xie, J., A. Li, J. Zhang, and T.-K. Hong (2004), A study of regional wave excitation by clustered underground explosions using a reciprocal theorem, *Proceedings of the 26th Seismic Research Review: Trends in Nuclear Explosion Monitoring*, p. 523–530.
- Zhang, J., H. Zhang, and X. Chen (2002), Characteristics of head wave in multi-layered half-space, *Acta Seismologica Sinica*, 15(6), 585–594.
- Griffin, L. G., Sullivan, R. B., Wolhart, S. L., Waltman, C. K., Wright, C. A., Weijers, L., and N. Warpinski (2003), Hydraulic Fracture Mapping of the High-Temperature, High-Pressure Bossier Sands in East Texas. Society of Petroleum Engineers. doi:10.2118/84489-MS